

MATHEMATICAL ASSOCIATION OF AMERICA
AMERICAN MATHEMATICS COMPETITIONS
PRESENTED BY THE AKAMAI FOUNDATION



19th Annual (Alternate)

**AMERICAN INVITATIONAL
MATHEMATICS EXAMINATION
(AIME)**

Tuesday, April 10, 2001

1. DO NOT OPEN THIS BOOKLET UNTIL TOLD TO DO SO BY YOUR PROCUTOR.
2. This is a 15-question, 3-hour examination. All answers are integers ranging from 000 to 999, inclusive. Your score will be the number of correct answers; i.e., there is neither partial credit nor a penalty for wrong answers.
3. No aids other than scratch paper, graph paper, ruler, compass, and protractor are permitted. In particular, **calculators are not permitted.**
4. A combination of the AIME and the American Mathematics Contest 10 or the American Mathematics Contest 12 scores are used to determine eligibility for participation in the U.S.A. Mathematical Olympiad (USAMO). The USAMO will be given on TUESDAY, May 1, 2001.
5. Record all of your answers, and certain other information, on the AIME answer form. Only the answer form will be collected from you.

The publication, reproduction, or communication of the problems or solutions of the AIME during the period when students are eligible to participate, seriously jeopardizes the integrity of the results. Duplication at any time via copier, telephone, email, world wide web, or media of any type is a violation of the copyright law.

- Let N be the largest positive integer with the following property: reading from left to right, each pair of consecutive digits of N forms a perfect square. What are the leftmost three digits of N ?
- Each of the 2001 students at a high school studies either Spanish or French, and some study both. The number who study Spanish is between 80 percent and 85 percent of the school population, and the number who study French is between 30 percent and 40 percent. Let m be the smallest number of students who could study both languages, and let M be the largest number of students who could study both languages. Find $M - m$.

- Given that

$$x_1 = 211,$$

$$x_2 = 375,$$

$$x_3 = 420,$$

$$x_4 = 523, \text{ and}$$

$$x_n = x_{n-1} - x_{n-2} + x_{n-3} - x_{n-4} \text{ when } n \geq 5,$$

find the value of $x_{531} + x_{753} + x_{975}$.

- Let $R = (8, 6)$. The lines whose equations are $8y = 15x$ and $10y = 3x$ contain points P and Q , respectively, such that R is the midpoint of \overline{PQ} . The length PQ equals m/n , where m and n are relatively prime positive integers. Find $m + n$.
- A set of positive numbers has the *triangle property* if it has three distinct elements that are the lengths of the sides of a triangle whose area is positive. Consider sets $\{4, 5, 6, \dots, n\}$ of consecutive positive integers, all of whose ten-element subsets have the triangle property. What is the largest possible value of n ?
- Square $ABCD$ is inscribed in a circle. Square $EFGH$ has vertices E and F on \overline{CD} and vertices G and H on the circle. The ratio of the area of square $EFGH$ to the area of square $ABCD$ can be expressed as m/n where m and n are relatively prime positive integers and $m < n$. Find $10n + m$.
- Let $\triangle PQR$ be a right triangle with $PQ = 90$, $PR = 120$, and $QR = 150$. Let C_1 be the inscribed circle. Construct \overline{ST} , with S on \overline{PR} and T on \overline{QR} , such that \overline{ST} is perpendicular to \overline{PR} and tangent to C_1 . Construct \overline{UV} with U on \overline{PQ} and V on \overline{QR} such that \overline{UV} is perpendicular to \overline{PQ} and tangent to C_1 . Let C_2 be the inscribed circle of $\triangle RST$ and C_3 the inscribed circle of $\triangle QUV$. The distance between the centers of C_2 and C_3 can be written as $\sqrt{10n}$. What is n ?

8. A certain function f has the properties that $f(3x) = 3f(x)$ for all positive real values of x , and that $f(x) = 1 - |x - 2|$ for $1 \leq x \leq 3$. Find the smallest x for which $f(x) = f(2001)$.
9. Each unit square of a 3-by-3 unit-square grid is to be colored either blue or red. For each square, either color is equally likely to be used. The probability of obtaining a grid that does not have a 2-by-2 red square is m/n , where m and n are relatively prime positive integers. Find $m + n$.
10. How many positive integer multiples of 1001 can be expressed in the form $10^j - 10^i$, where i and j are integers and $0 \leq i < j \leq 99$?
11. Club Truncator is in a soccer league with six other teams, each of which it plays once. In any of its 6 matches, the probabilities that Club Truncator will win, lose, or tie are each $1/3$. The probability that Club Truncator will finish the season with more wins than losses is m/n , where m and n are relatively prime positive integers. Find $m + n$.
12. Given a triangle, its *midpoint triangle* is obtained by joining the midpoints of its sides. A sequence of polyhedra \mathcal{P}_i is defined recursively as follows: \mathcal{P}_0 is a regular tetrahedron whose volume is 1. To obtain \mathcal{P}_{i+1} , replace the midpoint triangle of every face of \mathcal{P}_i by an outward-pointing regular tetrahedron that has the midpoint triangle as a face. The volume of \mathcal{P}_3 is m/n , where m and n are relatively prime positive integers. Find $m + n$.
13. In quadrilateral $ABCD$, $\angle BAD \cong \angle ADC$ and $\angle ABD \cong \angle BCD$, $AB = 8$, $BD = 10$, and $BC = 6$. The length CD may be written in the form m/n , where m and n are relatively prime positive integers. Find $m + n$.
14. There are $2n$ complex numbers that satisfy both $z^{28} - z^8 - 1 = 0$ and $|z| = 1$. These numbers have the form $z_m = \cos \theta_m + i \sin \theta_m$, where $0 \leq \theta_1 < \theta_2 < \dots < \theta_{2n} < 360$ and angles are measured in degrees. Find the value of $\theta_2 + \theta_4 + \dots + \theta_{2n}$.
15. Let $EFGH$, $EFDC$, and $EHBC$ be three adjacent square faces of a cube, for which $EC = 8$, and let A be the eighth vertex of the cube. Let I , J , and K be points on \overline{EF} , \overline{EH} , and \overline{EC} , respectively, so that $EI = EJ = EK = 2$. A solid \mathcal{S} is obtained by drilling a tunnel through the cube. The sides of the tunnel are planes parallel to \overline{AE} , and containing the edges \overline{IJ} , \overline{JK} , and \overline{KI} . The surface area of \mathcal{S} , including the walls of the tunnel, is $m + n\sqrt{p}$, where m , n , and p are positive integers and p is not divisible by the square of any prime. Find $m + n + p$.

Your Exam Manager will have a copy of the 2001 AIME Solution Pamphlet.

WRITE TO US :

Correspondence about the problems and solutions should be addressed to:

Mr. David Hankin, AIME Chair

Hunter College High School, Dept. of Mathematics, 71 East 94th St., New York, NY 10128 USA

Phone: 212/860-1281; Fax: 718/891-3312; email: xhankin@juno.com

Orders for any publications listed below should be addressed to:

Titu Andreescu, Director

Mathematical Association of America American Mathematics Competitions

University of Nebraska, P. O. Box 81606, Lincoln, NE 68501-1606

Phone: 402/472-2257; Fax: 402/472-6087; titu@amc.unl.edu; http://www.unl.edu/amc

2001 USAMO

THE USA MATHEMATICAL OLYMPIAD (USAMO) is a 6-question, 6-hour, essay-type examination. The USAMO will be held on Tuesday, May 1, 2001. Your teacher has more details on who qualifies for the USAMO in the AMC 10/12 and AIME Teachers' Manuals. The best way to prepare for the USAMO is to study previous years of these exams, the World Olympiad Problems/Solutions and review the contents of the Arbelos. Copies may be ordered as indicated below.

PUBLICATIONS

MINIMUM ORDER: \$10. (before shipping/handling fee), PAYMENT IN US FUNDS ONLY made payable to the American Mathematics Competitions or VISA/MASTERCARD/AMERICAN EXPRESS accepted. Include card number, expiration date, card holder name and address. U.S.A. and Canadian orders must be prepaid and will be shipped Priority Mail, UPS or Air Mail.

INTERNATIONAL ORDERS: Do NOT prepay. An invoice will be sent to you.

COPYRIGHT: All publications are copyrighted; it is illegal to make copies or transmit them on the internet without permission.

Examinations: Each price is for one copy of an exam and its solutions for one year. Specify the years you want and how many copies of each. All prices effective to September 1, 2001.

- AHSME (AMC 12) 1989-2001, \$1 per copy per year.
- AIME 1989-2001, \$2.00 per copy per year
- USA and International Math Olympiads, 1989-1999, \$5 per copy per year
2000, \$10 per copy
- National Summary of Results and Awards, 1989-2000, \$10 per copy per year
- Problem Book I, AHSMEs 1950-60, Problem Book II, AHSMEs 1961-65, \$10/ea
- Problem Book III, AHSMEs 1966-72, Problem Book IV, AHSMEs 1973-82, \$13/ea
- Problem V, AHSMEs and AIMEs 1983-88, \$30/ea. Problem Book VI, 1989-1994, \$24/ea
- USA Mathematical Olympiad Book 1972-86, \$18/ea
- International Mathematical Olympiad Book I, 1959-77, \$20/ea
- International Mathematical Olympiad Book II, 1978-85, \$20/ea
- World Olympiad Problems/Solutions 1996-97, 1997-98, \$15/ea; 1998-99, \$25/ea
- The Arbelos, Volumes I-V, and a Special Geometry Issue, \$8/ea

Shipping & Handling: Charges for Publication Orders:

<u>Order Total</u>	<u>Add:</u>
\$10.00 – \$30.00	\$ 5
\$30.01 – \$40.00	\$ 7
\$40.01 – \$50.00	\$ 9
\$50.01 – \$75.00	\$12
\$75.01 – up	\$15

The
American Invitational Mathematics Examination
(AIME)

Major Sponsors

The Mathematical Association of America
The Akamai Foundation
University of Nebraska-Lincoln

Contributors

Society of Actuaries
Mu Alpha Theta
National Council of Teachers of Mathematics
Casualty Actuarial Society
American Statistical Association
American Mathematical Association of Two-Year Colleges
American Mathematical Society
American Society of Pension Actuaries
Consortium for Mathematics and its Applications
Pi Mu Epsilon
National Association of Mathematicians
School Science and Mathematics Association
Clay Mathematics Institute
Kappa Mu Epsilon